

2017 Corn Grain Top 30 Harvest Report

Missouri North [MONO] PALMYRA
Shawn Kiefaber, Marion County, MO 63461



Test by: F.I.R.S.T. MSR, Inc., Columbia, MO

PREV. CROP/HERB: Corn, 2+ Yr / Lexar, Tombstone
SOIL DESCRIPTION: Belknap/Fatima silt loam, mod. well drained, non-irrigated
SOIL CONDITION: No-till, very high P, high K, 5.6 pH, 2.5% OM, 15 CEC
PEST MANAGEMENT: Acuron, Roundup, Force
FERTILITY - Applied N: 200 Spring
Applied N-P-K (units): 200-80-80
SEDED - RATE - ROW: May 18 34,700 /A 30" spacing
HARVESTED - STAND: Nov 10 32,200 /A

Early-Season Test
107 - 112 Day CRM
B2017MONO06a

Top 30 of 45

For Gross Income (Sorted by Yield)

Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|-------------------|------------------|------------|---------------|---------------|--------------|-------------------|-------------------------|-----------|
| NuTech/G2 Gen | X5FN-0909^ | OI | 109 | 249.6 | 15.1 | 1 | 32.7 | 763 | 1 |
| Wyffels | W6946DGRIB | VT2P,DG,B | 111 | 248.9 | 15.8 | 1 | 31.4 | 755 | 2 |
| ProHarvest | 8277Stax | STX | 112 | 247.0 | 15.6 | 1 | 33.1 | 751 | 3 |
| NuTech | X5NN-1212 | 3000GT | 112 | 246.7 | 15.9 | 1 | 32.3 | 747 | 5 |
| Renk | RK859DGV2P | VT2P,DG | 112 | 246.0 | 15.5 | 1 | 33.6 | 748 | 4 |
| Champion | 62A18VT2PRO | VT2P | 112 | 240.4 | 16.0 | 1 | 31.9 | 727 | 6 |
| Pfister | 71C1PCR | PC,B | 111 | 240.1 | 16.1 | 1 | 31.9 | 725 | 7 |
| NuTech/G2 Gen | X5FN-1211^ | OI | 112 | 237.5 | 16.0 | 1 | 33.6 | 718 | 8 |
| Taylor | 8808VT2ProRIB | VT2P,B | 108 | 232.9 | 15.6 | 1 | 31.4 | 708 | 9 |
| Taylor | EXP C-112-14 | VT2P | 112 | 232.8 | 15.8 | 1 | 32.3 | 706 | 10 |
| Renk | RK877DGV2P | VT2P,DG,B | 111 | 230.7 | 15.3 | 1 | 32.3 | 704 | 11 |
| FS InVISION | FS 62TV1DG RIB | VT2P,DG,B | 112 | 229.4 | 15.5 | 1 | 31.9 | 698 | 12 |
| Dekalb | DKC60-88RIB GC | VT2P,B | 110 | 228.5 | 16.1 | 1 | 31.4 | 690 | 13 |
| AgriGold | A642-59STX | STX | 112 | 227.5 | 16.1 | 1 | 32.3 | 687 | 14 |
| Golden Harvest | G07F23-3111 | 3111 | 107 | 225.3 | 15.6 | 1 | 32.7 | 685 | 15 |
| Lewis | RD1511VT2P | VT2P,DG,B | 111 | 224.8 | 15.5 | 1 | 33.6 | 684 | 16 |
| NuTech | 5N-410 | 3000GT | 110 | 224.2 | 15.8 | 1 | 33.1 | 680 | 18 |
| Champion | CSX57A16VT2PRORIB | VT2P,B | 107 | 223.9 | 15.3 | 1 | 31.9 | 683 | 17 |
| LG Seeds | LG5590VT2P | VT2P | 110 | 223.0 | 15.8 | 1 | 31.9 | 676 | 20 |
| Pfister | 70A1SSR | STX,B | 110 | 222.0 | 15.3 | 1 | 33.1 | 677 | 19 |
| Taylor | 8821VT2ProRIB | VT2P,B | 110 | 220.8 | 16.1 | 1 | 31.9 | 667 | 21 |
| Lewis | 11DP768 | VT2P,B | 111 | 220.3 | 16.0 | 1 | 33.6 | 666 | 22 |
| Pioneer | P1197AM GC | AM,B | 111 | 218.7 | 15.6 | 1 | 31.9 | 665 | 23 |
| Golden Harvest | G12W66-3000GT | 3000GT | 112 | 218.7 | 16.5 | 1 | 32.7 | 658 | 25 |
| NuTech | 5VN-4707 | 3111 | 107 | 218.6 | 15.7 | 1 | 31.4 | 664 | 24 |
| Taylor | 8012VT2ProDGRIB | VT2P,DG,B | 112 | 215.1 | 15.9 | 1 | 32.3 | 651 | 27 |
| LG Seeds | LG5618STXRIB | STX,B | 112 | 214.3 | 16.0 | 1 | 31.4 | 648 | 28 |
| Lewis | R1409VT2P | VT2P,B | 109 | 214.2 | 15.0 | 1 | 33.1 | 655 | 26 |
| AgriGold | A6499STXRIB | STX,B | 112 | 213.9 | 15.9 | 1 | 32.3 | 648 | 29 |
| AgriGold | A641-78STX | STX | 111 | 212.4 | 15.7 | 1 | 31.9 | 645 | 30 |
| MorCorn | MC4319VT2PRIB CK | VT2P,B | 113 | 205.1 | 16.1 | 1 | 32.3 | 620 | 38 |

Averages = **219.7** **15.7** **1** **32.2** **667**

LSD (0.10) = 20.9 0.4 ns

LSD (0.25) = 11.0 0.2 ns

C.V. = 9.0 Prev. years average yield, 189.5 bu/a, 6 yrs

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.035 Prices: GMO = \$3.06; non-GMO = \$3.06

Test Comments: *More cover crops are planted every year. This site provided an opportunity to evaluate hybrids in such an environment. The cover crop included: rye 30#, oat 20#, crimson clover 10#, radish 2#, and turnip 1#. Sulfur and zinc were applied. Shawn, our host farmer, commented how it stayed wet early on, then was terribly dry in July and August. Mild August temperatures helped reduce crop stress.*

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2017, all rights reserved by Elite Field Genetics, LLC

Report Date: 11/11/2017 Revised:

2017 Corn Grain Top 30 Harvest Report

Missouri North [MONO] PALMYRA
Shawn Kiefaber, Marion County, MO 63461



PREV. CROP/HERB: Corn, 2+ Yr / Lexar, Tombstone
SOIL DESCRIPTION: Belknap/Fatima silt loam, mod. well drained, non-irrigated
SOIL CONDITION: No-till, very high P, high K, 5.6 pH, 2.5% OM, 15 CEC
PEST MANAGEMENT: Acuron, Roundup, Force
FERTILITY - Applied N: 200 Spring
Applied N-P-K (units): 200-80-80
SEDED - RATE - ROW: May 18 34,700 /A 30" spacing
HARVESTED - STAND: Nov 10 32,100 /A

Full-Season Test
113 - 116 Day CRM
B2017MONO06b

Top 30 of 45

For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|--------------------|-----------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| LG Seeds | LG5643VT2PRIB | VT2P,B | 114 | 267.4 | 16.1 | 1 | 32.7 | 808 | 1 |
| NuTech/G2 Gen | 5FB-9016^ | AM,B | 116 | 262.1 | 15.5 | 1 | 32.3 | 797 | 2 |
| Pfister | 3488PCR | PC,B | 115 | 261.8 | 16.5 | 1 | 32.3 | 787 | 3 |
| Lewis | R1414VT2P | VT2P,B | 114 | 257.9 | 15.9 | 1 | 31.9 | 781 | 4 |
| FS InVISION | FS 64SV1 RIB | VT2P,B | 114 | 254.9 | 15.9 | 1 | 32.7 | 772 | 5 |
| Taylor | EXP F-115-14 | VT2P | 115 | 252.1 | 16.1 | 1 | 31.9 | 762 | 6 |
| Renk | RK924DGV2P | VT2P,DG,B | 114 | 252.1 | 16.6 | 1 | 32.3 | 757 | 8 |
| Pfister | X157137VH | PC | 115 | 251.7 | 16.7 | 1 | 32.7 | 755 | 9 |
| Dyna-Gro | D58VC65 | VT2P | 118 | 250.9 | 16.0 | 1 | 32.7 | 759 | 7 |
| MorCorn | MC4377DGV2PRIB | VT2P,DG,B | 113 | 248.9 | 16.1 | 1 | 32.3 | 752 | 11 |
| Champion | CSX63A17DGV2PRO | VT2P,DG | 113 | 248.8 | 15.9 | 1 | 32.7 | 753 | 10 |
| FS InVISION | FS 66ZV1 RIB | VT2P,B | 116 | 247.6 | 16.1 | 1 | 32.3 | 748 | 12 |
| Lewis | 16DP887 | VT2P,B | 116 | 243.8 | 16.4 | 1 | 31.9 | 734 | 14 |
| Renk | RK965SSTX | STX | 116 | 243.6 | 15.9 | 1 | 31.4 | 738 | 13 |
| FS InVISION | FS 63ZV1 RIB | VT2P,B | 113 | 242.5 | 16.3 | 1 | 31.9 | 731 | 15 |
| LG Seeds | LG5650VT2PRIB | VT2P,B | 115 | 240.6 | 15.8 | 1 | 31.4 | 729 | 16 |
| Pfister | 2874SSR | STX,B | 113 | 239.2 | 15.9 | 1 | 31.4 | 724 | 17 |
| Epley | E2305RR | RR2 | 113 | 239.1 | 16.2 | 1 | 32.3 | 722 | 18 |
| NuTech/G2 Gen | X5FN-1306^ | OI | 113 | 238.0 | 15.9 | 1 | 32.3 | 721 | 19 |
| Pfister | 73A2SSR | STX,B | 113 | 235.4 | 16.1 | 1 | 32.3 | 711 | 20 |
| Champion | CSX65A17VT2PRO | VT2P | 115 | 233.6 | 15.7 | 1 | 31.0 | 709 | 21 |
| Renk | RK941SSTX | STX,B | 114 | 233.6 | 16.6 | 1 | 32.7 | 702 | 24 |
| Pioneer | P1311AMXT GC | AMXT,B | 113 | 232.8 | 15.8 | 1 | 33.1 | 706 | 22 |
| Golden Harvest | G14R38-3120-EZR | 3120,B | 114 | 232.3 | 16.3 | 1 | 31.9 | 700 | 25 |
| MorCorn | MCXP1716 | STX | 114 | 232.0 | 15.7 | 1 | 32.3 | 704 | 23 |
| Dyna-Gro | D55VC45 | VT2P | 115 | 230.7 | 16.2 | 1 | 32.3 | 696 | 26 |
| Champion | CSX64A15DGV2PRORIB | VT2P,DG,B | 114 | 230.5 | 16.3 | 1 | 31.4 | 695 | 27 |
| NuTech/G2 Gen | X5FN-1512^ | OI | 115 | 226.7 | 16.0 | 1 | 33.1 | 686 | 29 |
| Champion | 66A18VT2PRO | VT2P | 116 | 223.9 | 15.9 | 1 | 31.4 | 678 | 30 |
| AgriGold | A6544VT2RIB | VT2P,B | 113 | 223.7 | 16.0 | 1 | 31.4 | 677 | 31 |
| MorCorn | MC4319VT2PRIB CK | VT2P,B | 113 | 229.6 | 16.2 | 1 | 31.4 | 693 | 28 |

Averages = **233.6** **16.0** **1** **32.1** **706**

LSD (0.10) = 23.3 ns 0

LSD (0.25) = 12.2 ns 0

C.V. = 9.5 Prev. years average yield, 189.5 bu/a, 6 yrs

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.035 Prices: GMO = \$3.06; non-GMO = \$3.06

Test Comments: *More cover crops are planted every year. This site provided an opportunity to evaluate hybrids in such an environment. The cover crop included: rye 30#, oat 20#, crimson clover 10#, radish 2#, and turnip 1#. Sulfur and zinc were applied. Shawn, our host farmer, commented how it stayed wet early on, then was terribly dry in July and August. Mild August temperatures helped reduce crop stress.*

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2017, all rights reserved by Elite Field Genetics, LLC

Report Date: 11/11/2017 Revised:

2017 Corn Grain - Missouri North [MONO]



Early-Season Test Products (45 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------|-------------------|-----------|-------------|-----|---------------|---------------|----------|-----------|----|
| AgriGold | A641-78STX | STX | AC,P5V | 111 | | | | | |
| AgriGold | A642-59STX | STX | AC,P5V | 112 | | | | | |
| AgriGold | A6499STXRIB | STX,B | AC,P5V | 112 | | | | | |
| Champion | 62A18VT2PRO | VT2P | AC,P5V | 112 | | | | | |
| Champion | CSX57A16VT2PRORIB | VT2P,B | AC,P2 | 107 | | | | | |
| Dekalb | DKC60-88RIB GC | VT2P,B | AC,P5V | 110 | | | | | |
| FS InVISION | FS 59VL1 EZR | 3220,B | CM,C2,Vi | 109 | | | | | |
| FS InVISION | FS 60QV1 RIB | VT2P,B | AC,P2 | 110 | | | | | |
| FS InVISION | FS 61SV1 RIB | VT2P,B | AC,P2 | 111 | | | | | |
| FS InVISION | FS 62TV1DG RIB | VT2P,DG,B | AC,P2 | 112 | | | | | |
| Golden Harvest | G07F23-3111 | 3111 | AVC,C2,Vi | 107 | | | | | |
| Golden Harvest | G10T63-3120-EZR | 3120,B | AVC,C5,Vi | 110 | | | | | |
| Golden Harvest | G12W66-3000GT | 3000GT | AVC,C5,Vi | 112 | | | | | |
| Lewis | 10DP747 | VT2P,B | AC,P5V | 110 | | | | | |
| Lewis | 11DP768 | VT2P,B | AC,P5V | 111 | | | | | |
| Lewis | R1409VT2P | VT2P,B | AC,P5V | 109 | | | | | |
| Lewis | RD1511VT2P | VT2P,DG,B | AC,P5V | 111 | | | | | |
| LG Seeds | LG5590VT2P | VT2P | AC,P5V | 110 | | | | | |
| LG Seeds | LG5618STXRIB | STX,B | AC,P5V | 112 | | | | | |
| MorCorn | MC3966VT2PRIB | VT2P,B | AC,P2 | 109 | | | | | |
| MorCorn | MC4319VT2PRIB CK | VT2P,B | AC,P2 | 113 | | | | | |
| NuTech | 5N-410 | 3000GT | MQ,P5V,R | 110 | | | | | |
| NuTech | 5VN-4707 | 3111 | MQ,P1V,R | 107 | | | | | |
| NuTech | X5NN-1212 | 3000GT | MQ,P5V,R | 112 | | | | | |
| NuTech/G2 Gen | 5F-308^ | AM,B | MQ,P5V,R | 108 | | | | | |
| NuTech/G2 Gen | 5FB-1010^ | AM,B | MQ,P5V,R | 110 | | | | | |
| NuTech/G2 Gen | X5FN-0909^ | OI | MQ,P1V,R | 109 | | | | | |
| NuTech/G2 Gen | X5FN-1211^ | OI | MQ,P1V,R | 112 | | | | | |
| Pfister | 68A1RR | RR2 | CM,C2 | 108 | | | | | |
| Pfister | 70A1SSR | STX,B | CM,C5,Vi,ln | 110 | | | | | |
| Pfister | 71C1PCR | PC,B | CM,C5,Vi,ln | 111 | | | | | |
| Pfister | 72C6SS | STX | CM,C1,Vi,ln | 112 | | | | | |
| Pioneer | P1197AM GC | AM,B | MQ,C2,R | 111 | | | | | |
| ProHarvest | 8277Stax | STX | AC,P5V | 112 | | | | | |
| Renk | RK842SSTX | STX | AC,P5V | 112 | | | | | |
| Renk | RK859DGV2P | VT2P,DG | AC,P5V | 112 | | | | | |
| Renk | RK871VT2P | VT2P,B | AC,P2 | 111 | | | | | |
| Renk | RK877DGV2P | VT2P,DG,B | AC,P2 | 111 | | | | | |
| Stine | 9734-20 GC | 3110 | CM,C2 | 111 | | | | | |
| Taylor | 8012VT2ProDGRIB | VT2P,DG,B | AC,P2 | 112 | | | | | |
| Taylor | 8808VT2ProRIB | VT2P,B | AC,P2 | 108 | | | | | |
| Taylor | 8821VT2ProRIB | VT2P,B | AC,P2 | 110 | | | | | |
| Taylor | EXP C-112-14 | VT2P | AC,P2 | 112 | | | | | |
| Wyffels | W6898 | STX | AC,P5V | 112 | | | | | |
| Wyffels | W6946DGRIB | VT2P,DG,B | AC,P2 | 111 | | | | | |

2017 Corn Grain - Missouri North [MONO]



Full-Season Test Products (45 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------|--------------------|-----------|-------------|-----|---------------|---------------|----------|-----------|----|
| AgriGold | A6544VT2RIB | VT2P,B | AC,P5V | 113 | | | | | |
| AgriGold | A6572VT2RIB | VT2P,B | AC,P5V | 114 | | | | | |
| AgriGold | A6652VT2RIB | VT2P,B | AC,P5V | 116 | | | | | |
| Champion | 66A18VT2PRO | VT2P | AC,P2 | 116 | | | | | |
| Champion | CSX63A17DGV2PRO | VT2P,DG | AC,P2 | 113 | | | | | |
| Champion | CSX64A15DGV2PRORIB | VT2P,DG,B | AC,P2 | 114 | | | | | |
| Champion | CSX65A17VT2PRO | VT2P | AC,P5V | 115 | | | | | |
| Dyna-Gro | D55VC45 | VT2P | AC,P5V | 115 | | | | | |
| Dyna-Gro | D58VC65 | VT2P | AC,P5V | 118 | | | | | |
| Epley | E2305RR | RR2 | MQ | 113 | | | | | |
| FS InVISION | FS 63ZV1 RIB | VT2P,B | AC,P2 | 113 | | | | | |
| FS InVISION | FS 64R44 | 3000GT | AVC,C5,Vi | 114 | | | | | |
| FS InVISION | FS 64SV1 RIB | VT2P,B | AC,P2 | 114 | | | | | |
| FS InVISION | FS 66ZV1 RIB | VT2P,B | AC,P2 | 116 | | | | | |
| Golden Harvest | G14R38-3120-EZR | 3120,B | AVC,C5,Vi | 114 | | | | | |
| Lewis | 15DP878 | VT2P,B | AC,P5V | 115 | | | | | |
| Lewis | 16DP887 | VT2P,B | AC,P5V | 116 | | | | | |
| Lewis | R1414VT2P | VT2P,B | AC,P5V | 114 | | | | | |
| Lewis | RD1613VT2P | VT2P,DG,B | AC,P5V | 113 | | | | | |
| LG Seeds | LG5643VT2PRIB | VT2P,B | AC,P5V | 114 | | | | | |
| LG Seeds | LG5650VT2PRIB | VT2P,B | AC,P5V | 115 | | | | | |
| MorCorn | MC4319VT2PRIB CK | VT2P,B | AC,P2 | 113 | | | | | |
| MorCorn | MC4377DGV2PRIB | VT2P,DG,B | AC,P2 | 113 | | | | | |
| MorCorn | MCXP1716 | STX | AC,P5V | 114 | | | | | |
| NuTech/G2 Gen | 5F-713^ | AM,B | MQ,P5V,R | 113 | | | | | |
| NuTech/G2 Gen | 5FB-9016^ | AM,B | MQ,P5V,R | 116 | | | | | |
| NuTech/G2 Gen | X5FN-1306^ | OI | MQ,P1V,R | 113 | | | | | |
| NuTech/G2 Gen | X5FN-1512^ | OI | MQ,P1V,R | 115 | | | | | |
| Pfister | 2874SSR | STX,B | CM,C5,Vi,ln | 113 | | | | | |
| Pfister | 3488PCR | PC,B | CM,C5,Vi,ln | 115 | | | | | |
| Pfister | 73A2SSR | STX,B | CM,C5,Vi,ln | 113 | | | | | |
| Pfister | X157137VH | PC | CM,C1,Vi,ln | 115 | | | | | |
| Pioneer | P1311AMXT GC | AMXT,B | MQ,C2 | 113 | | | | | |
| Renk | RK924DGV2P | VT2P,DG,B | AC,P2 | 114 | | | | | |
| Renk | RK941SSTX | STX,B | AC,P5V | 114 | | | | | |
| Renk | RK961VT2P | VT2P,B | AC,P2 | 116 | | | | | |
| Renk | RK965SSTX | STX | AC,P5V | 116 | | | | | |
| Stine | 9742-20 GC | 3110 | CM,C2 | 113 | | | | | |
| Taylor | 8835VT2Pro | VT2P | AC,P2 | 114 | | | | | |
| Taylor | EXP F-115-14 | VT2P | AC,P2 | 115 | | | | | |
| Taylor | T5515 | STX | AC,P5V | 115 | | | | | |
| Wyffels | W7456RIB | VT2P,B | AC,P2 | 112 | | | | | |
| Wyffels | W7696RIB | VT2P,B | AC,P2 | 113 | | | | | |
| Wyffels | W7976RIB | VT2P,B | AC,P2 | 113 | | | | | |
| Wyffels | W8646 | VT2P | AC,P5V | 116 | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|--|
| ^ | G2 [®] brand seed is distributed by NuTech Seed, LLC. Catalyst™ and Power Plus [®] brand seed is distributed by Burrus. HPT [®] brand seed is distributed by Hoegemeyer Hybrids, Innotech™ brand seed is distributed by Rob-See-Co, LLC. RPM [®] brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX [®] brand seed is distributed by Seed Consultants, Inc. VPMa [®] brand seed is distributed by AgVenture, Inc. XL [®] and Phoenix [®] brand seed is distributed by Beck's Superior Hybrids. Curry [®] , G2 [®] , HPT [®] , Power Plus [®] , RPM [®] , Supreme EX [®] , VPMa [®] and XL [®] are registered trademarks of DuPont Pioneer. Catalyst™, Innotech™ and Phoenix [®] are trademarks of Syngenta. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |

Corn Technologies*

| | | | |
|--------|---|------|---|
| 3000GT | Agrisure [®] 3000GT (CB,RW,LL,GT) | GT | Agrisure [®] GT |
| 3010 | Agrisure [®] 3010 (CB,LL,GT) | HX | Herculex [®] 1, contains LL |
| 3011,A | Agrisure [®] Artesian [®] (CB,RW,LL,GT) | HXRW | Herculex [®] Rootworm, contains LL |
| 3110 | Agrisure [®] Viptera [®] 3110 (Vip, CB,LL,GT) | HXT | Herculex [®] Xtra (HX,HXRW,LL) |
| 3111 | Agrisure [®] Viptera [®] 3111 (Vip,CB,RW,LL,GT) | LL | LibertyLink [®] |
| 3120 | Agrisure [®] 3120 (CB,HX,LL,GT) | None | conventional corn |
| 3122 | Agrisure [®] 3122 (CB,HXX,RW,LL,GT) | OI | Optimum [®] Intrasect [®] , YHR (YGCB,HX,LL,RR2) |
| 3220 | Agrisure [®] Viptera [®] 3220 (Vip,CB,HX,LL,GT) | OIX | Optimum [®] Intrasect [®] Xtra, YXR (YGCB,HXT,LL,RR2) |
| A | Agrisure [®] Artesian [®] | OIXT | Optimum [®] Intrasect [®] Xtreme (YGCB,HXT,RW,LL,RR2) |
| AM | Optimum [®] AcreMax [®] (YGCB,HX,LL,RR2) | PC | PowerCore™ (HX, VT2P) |
| AMT | Optimum [®] AcreMax [®] TRIsect (HX,RW,LL,RR2) | RR2 | Roundup Ready [®] 2 Corn |
| AMX | Optimum [®] AcreMax [®] Xtra (YGCB,HXT,LL,RR2) | RW | Agrisure [®] Rootworm |
| AMXT | Optimum [®] AcreMax [®] Xtreme (YGCB,HXT,RW,LL,RR2) | STX | SmartStax [®] (VT3P,HXT,RR2,LL) |
| AQ | Optimum [®] AQUAMax [®] | VT2P | Genuity [®] VT Double PRO [®] |
| B | Refuge Blend | VT3P | Genuity [®] VT Triple PRO [®] |
| CB | Agrisure [®] Corn Borer | YGCB | YieldGard [®] Corn Borer |
| DG | Genuity [®] DroughtGard [®] | | |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| ? | information unavailable | In | Intego™ Solo |
| A | Allegiance [®] | L | Lorsban [®] |
| AC | Accelaron [®] fungicide products | Lu | Lumivia™ |
| AL2500 | Alert 2500™ | M | Maxim XL [®] |
| At | Actellic [®] | MQ | Maxim Quattro [®] |
| AVC | Avicta [®] Complete Corn | None | untreated |
| C2, C5, C1 | Cruiser [®] at 0.25, 0.5 and 1.25 mg ai/seed, respectively | P2, P5, P1 | Poncho [®] at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| CE | Cruiser Extreme [®] | R | Raxil [®] |
| CM | CruiserMaxx [®] Corn | SC | SHIELDCoat™ |
| D | Dynasty [®] | V | Votivo [®] |
| Es | Escalate [®] | Vi | Vibrance [®] |

** Seed treatments may include unspecified plant health promoting components.