

2018 Corn Grain Top 30 Harvest Report

Kansas Northeast [KSNE] STILWELL
Bruce Betts, Johnson County, KS 66013



Test by: Agri Seed Research, LLC, Louisburg, KS

PREV. CROP/HERB: Soybean / Xtendimax, Dual
SOIL DESCRIPTION: Grundy silt loam, moderately drained, non-irrigated
SOIL CONDITION: Conventional w/o fall till, high P, medium K, 5.6 pH, 3.8% OM, 15.2 CEC
PEST MANAGEMENT: 2,4-D, glyphosate, Intrusion, Dual, atrazine
FERTILITY - Applied N: 180 Spring
Applied N-P-K (units): 180-60-60
SEEDING - RATE - ROW: May 8 31,000 /A 30" spacing
HARVESTED - STAND: Dec 8 28,600 /A

Early-Season Test

107 - 112 Day CRM
B2018KSNE02a

Top 30 of 42

For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|---------------------|---------------|------------|---------------|---------------|--------------|-------------------|-------------------------|-----------|
| Hefty | H6324SS | STX | 112 | 184.5 | 17.0 | 1 | 28.5 | 544 | 1 |
| Taylor | 8822VT2ProRIB | VT2P,B | 111 | 181.3 | 16.6 | 4 | 28.2 | 537 | 2 |
| Hefty | H6214SSRIB | STX,B | 112 | 178.4 | 16.6 | 1 | 28.2 | 528 | 3 |
| AgriGold | A6499STXRIB | STX,B | 112 | 178.4 | 17.0 | 2 | 28.5 | 526 | 5 |
| AgriGold | A641-78STXRIB | STX,B | 111 | 177.9 | 16.3 | 2 | 28.9 | 528 | 4 |
| Lewis | 11DP768 | VT2P,B | 111 | 177.8 | 16.6 | 2 | 28.5 | 526 | 6 |
| LG Seeds | LG61C48VT2RIB | VT2P,B | 111 | 176.6 | 15.9 | 3 | 27.9 | 526 | 7 |
| Pioneer | P1197AM GC | AM,B | 111 | 176.1 | 16.2 | 3 | 29.2 | 523 | 8 |
| AgriGold | A642-59STXRIB | STX,B | 112 | 174.3 | 16.1 | 3 | 28.9 | 518 | 9 |
| Phoenix | 6299EZ | 3122,B | 112 | 167.8 | 16.6 | 4 | 27.9 | 497 | 10 |
| Renk | RK842SSTX | STX | 112 | 166.0 | 16.6 | 5 | 29.2 | 491 | 11 |
| Hefty | H6024SS | STX,B | 110 | 164.8 | 15.8 | 2 | 28.2 | 491 | 12 |
| Hoegemeyer/HPT | HP1655YHR | OI | 110 | 162.9 | 16.7 | 3 | 28.9 | 482 | 13 |
| Renk | RK815SSTX | STX,B | 110 | 161.3 | 16.3 | 4 | 28.2 | 479 | 14 |
| Renk | RK859DGV2P | VT2P,DG,B | 112 | 161.3 | 16.5 | 5 | 29.9 | 478 | 15 |
| Lewis | 08DP739 | VT2P,B | 108 | 157.8 | 16.7 | 3 | 28.2 | 467 | 16 |
| Armor | 1227Pro2 | VT2P | 112 | 155.9 | 16.7 | 3 | 28.2 | 461 | 17 |
| Rob-See-Co | RC6001-3220-EZR GC | 3220,B | 110 | 148.2 | 16.0 | 4 | 29.2 | 441 | 18 |
| Epley | E2001GTCBLL | 3010 | 110 | 145.2 | 16.0 | 2 | 29.2 | 432 | 19 |
| LG Seeds | LG5590VT2RIB | VT2P,B | 110 | 142.8 | 15.8 | 1 | 28.5 | 426 | 20 |
| Lewis | 12DP779 | VT2P,B | 112 | 142.6 | 16.1 | 1 | 29.2 | 424 | 21 |
| Golden Harvest | G11B63-3010A | 3010,A | 111 | 142.6 | 16.3 | 1 | 28.2 | 423 | 22 |
| NuTech | 5NN-8812 | 3000GT | 112 | 141.9 | 16.5 | 2 | 28.2 | 420 | 23 |
| Dekalb | DKC60-88RIB GC | VT2P,B | 110 | 140.7 | 16.3 | 1 | 28.5 | 418 | 24 |
| Epley | E2201GTCBLL | 3010 | 112 | 140.6 | 16.1 | 2 | 28.9 | 418 | 25 |
| Augusta | A4860GT3220A | 3220,A | 110 | 139.9 | 16.7 | 3 | 28.5 | 414 | 26 |
| Lewis | 10DP747 | VT2P,B | 110 | 136.0 | 16.7 | 1 | 29.2 | 402 | 27 |
| Hoegemeyer/HPT | 7900AM | AM,B | 109 | 134.1 | 17.0 | 1 | 28.5 | 396 | 28 |
| Taylor | EXP A 112 | VT2P | 112 | 133.7 | 16.7 | 2 | 28.9 | 395 | 29 |
| Armor | 0887Pro2 | VT2P | 108 | 133.1 | 16.5 | 1 | 28.5 | 394 | 30 |
| Rob-See-Co | Innotech IC5831^ CK | 3111 | 108 | 130.7 | 16.4 | 5 | 28.2 | 388 | 33 |

Adam Stuteville
adam.stuteville@firstseedtests.com, (913) 206-6080

Averages = **148.6** **16.4** **2** **28.6** **441**

LSD (0.10) = 10.1 0.1 ns

LSD (0.25) = 5.3 0.1 ns

C.V. = 6.5 Prev. years average yield, 185.5 bu/a, 3 yrs

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Prices: GMO = \$3.00; non-GMO = \$3.00

Test Comments: This site was planted into a clean tilled seedbed and emerged great. Temperatures in May, June and July were above normal. This area caught a few late June and early July showers that really helped yield. A very light amount of gray leaf spot was present. Plants stood better than expected despite a harvest delayed by 18" of precipitation from Oct. 1 to harvest. Frozen ground required for harvest.

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2018, all rights reserved by Elite Field Genetics, LLC

Report Date: 12/09/2018 Revised:

2018 Corn Grain Top 30 Harvest Report

Kansas Northeast [KSNE] STILWELL
Bruce Betts, Johnson County, KS 66013



PREV. CROP/HERB: Soybean / Xtendimax, Dual
SOIL DESCRIPTION: Grundy silt loam, moderately drained, non-irrigated
SOIL CONDITION: Conventional w/o fall till, high P, medium K, 5.6 pH, 3.8% OM, 15.2 CEC
PEST MANAGEMENT: 2,4-D, glyphosate, Intrusion, Dual, atrazine
FERTILITY - Applied N: 180 Spring
Applied N-P-K (units): 180-60-60
SEEDING - RATE - ROW: May 8 31,000 /A 30" spacing
HARVESTED - STAND: Dec 8 28,600 /A

Full-Season Test
113 - 116 Day CRM
B2018KSNE02b

Top 30 of 42

For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|---------------------|-----------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Lewis | 15DP899 | VT2P,B | 115 | 176.3 | 16.8 | 3 | 28.5 | 521 | 1 |
| Dekalb | DKC64-35RIB GC | VT2P,B | 114 | 167.4 | 16.8 | 2 | 28.9 | 495 | 2 |
| NK Brand | NK1573-3110 GC | 3110 | 115 | 166.8 | 16.5 | 5 | 28.2 | 494 | 3 |
| Golden Harvest | G16K01-3111 | 3111 | 116 | 166.2 | 16.7 | 2 | 28.2 | 492 | 4 |
| Hoegemeyer/HPT | 8529AM | AM,B | 115 | 164.2 | 16.7 | 1 | 28.5 | 486 | 5 |
| Renk | RK945DGV2P | VT2P,DG | 115 | 162.8 | 16.6 | 2 | 29.2 | 482 | 6 |
| Hoegemeyer/HPT | 8414AM | AM,B | 114 | 162.8 | 16.7 | 3 | 28.2 | 481 | 7 |
| Golden Harvest | G14V04-3120-EZR | 3120,B | 114 | 161.8 | 16.5 | 2 | 28.9 | 479 | 8 |
| Armor | 1667Pro2 | VT2P | 116 | 160.0 | 16.9 | 2 | 29.2 | 472 | 9 |
| Taylor | EXP C-115-17 | VT2P,B | 115 | 158.5 | 16.9 | 3 | 28.9 | 468 | 10 |
| AgriGold | A646-12STXRIB | STX,B | 116 | 156.6 | 16.7 | 3 | 27.9 | 463 | 12 |
| Taylor | 8835VT2ProRIB | VT2P,B | 114 | 156.3 | 15.5 | 2 | 27.5 | 467 | 11 |
| AgriGold | A6572VT2RIB | VT2P,B | 114 | 154.4 | 16.5 | 4 | 29.5 | 457 | 13 |
| Renk | RK937SSTX | STX | 113 | 152.6 | 16.9 | 2 | 27.5 | 451 | 14 |
| Pioneer | P1366AM GC | AM,B | 113 | 151.2 | 16.8 | 5 | 28.5 | 447 | 15 |
| Rob-See-Co | RC6401-3120-EZR GC | 3120,B | 114 | 151.1 | 16.6 | 5 | 29.2 | 447 | 16 |
| Dyna-Gro | D54VC14 | VT2P | 114 | 150.3 | 16.9 | 5 | 28.9 | 444 | 17 |
| Hefty | H6622VT2P | VT2P | 116 | 150.2 | 17.0 | 2 | 28.2 | 443 | 18 |
| Taylor | 8866VT2ProRIB | VT2P,B | 115 | 149.8 | 17.0 | 6 | 29.2 | 442 | 19 |
| Lewis | 14DD849 | VT2P,DG,B | 114 | 148.8 | 16.7 | 4 | 28.9 | 440 | 20 |
| Hefty | H6423 | VT2P,DG | 114 | 146.3 | 16.6 | 4 | 27.5 | 433 | 21 |
| Renk | RK961VT2P | VT2P,B | 116 | 145.3 | 16.5 | 1 | 29.2 | 430 | 22 |
| Channel | 215-75VT2PRIB | VT2P,B | 115 | 143.3 | 16.0 | 1 | 28.9 | 426 | 23 |
| Phoenix | 6542BZ | 3120,B | 116 | 143.0 | 16.6 | 4 | 28.5 | 423 | 24 |
| LG Seeds | LG66C32STXRIB | STX,B | 116 | 142.1 | 16.5 | 2 | 28.9 | 421 | 25 |
| Rob-See-Co | RC6580-3111 GC | 3111 | 115 | 140.6 | 16.7 | 2 | 29.2 | 416 | 26 |
| Lewis | 16DP887 | VT2P,B | 116 | 140.2 | 17.2 | 6 | 28.2 | 413 | 27 |
| AgriGold | A6544VT2RIB | VT2P,B | 113 | 139.2 | 16.9 | 7 | 28.5 | 411 | 28 |
| Rob-See-Co | RC6435-3010A GC | 3010,A | 114 | 138.9 | 16.9 | 3 | 28.9 | 410 | 29 |
| Lewis | R1414VT2P | VT2P,B | 114 | 138.2 | 16.5 | 3 | 27.5 | 409 | 30 |
| Rob-See-Co | Innotech IC5831^ CK | 3111 | 108 | 138.0 | 16.4 | 6 | 28.5 | 409 | 31 |

Adam Stuteville
adam.stuteville@firstseedtests.com, (913) 206-6080

| | | | | | |
|--------------|--------------|--|----------|-------------|------------|
| Averages = | 146.6 | 16.7 | 3 | 28.6 | 434 |
| LSD (0.10) = | 10.2 | 0.1 | ns | | |
| LSD (0.25) = | 5.3 | 0.1 | ns | | |
| C.V. = | 6.6 | Prev. years average yield, 185.5 bu/a, 3 yrs | | | |

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Prices: GMO = \$3.00; non-GMO = \$3.00

Test Comments: This site was planted into a clean tilled seedbed and emerged great. Temperatures in May, June and July were above normal. This area caught a few late June and early July showers that really helped yield. A very light amount of gray leaf spot was present. Plants stood better than expected despite a harvest delayed by 18" of precipitation from Oct. 1 to harvest. Frozen ground required for harvest.

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2018, all rights reserved by Elite Field Genetics, LLC

Report Date: 12/09/2018 Revised:

Early-Season Test Products (42 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------|---------------------|-----------|--------------|-----|---------------|---------------|----------|-----------|----|
| AgriGold | A641-78STXRIB | STX,B | AC,P5V | 111 | | | | | |
| AgriGold | A642-59STXRIB | STX,B | AC,P5V | 112 | | | | | |
| AgriGold | A6499STXRIB | STX,B | AC,P5V | 112 | | | | | |
| Armor | 0887Pro2 | VT2P | AC,P5V | 108 | | | | | |
| Armor | 1227Pro2 | VT2P | AC,P5V | 112 | | | | | |
| Augusta | A4658GT3220 | 3220 | CM,C2 | 108 | | | | | |
| Augusta | A4860GT3220A | 3220,A | CM,C2 | 110 | | | | | |
| Augusta | A5162GT3000 | 3000GT | CM,C2 | 112 | | | | | |
| Channel | 209-15VT2PRIB GC | VT2P,B | AC,P2 | 109 | | | | | |
| Dekalb | DKC60-88RIB GC | VT2P,B | AC,P2 | 110 | | | | | |
| Dekalb | DKC62-53RIB GC | VT2P,B | AC,P2 | 112 | | | | | |
| Epley | E2001GTCBLL | 3010 | MQ | 110 | | | | | |
| Epley | E2201GTCBLL | 3010 | MQ | 112 | | | | | |
| Golden Harvest | G09Y24-3220A-EZR | 3220,A,B | AVC,C5,Vi | 109 | | | | | |
| Golden Harvest | G11A33-3111 GC | 3111 | AVC,C5,Vi | 111 | | | | | |
| Golden Harvest | G11B63-3010A | 3010,A | AVC,C5,Vi | 111 | | | | | |
| Hefty | H5922VT2P | VT2P | HC | 109 | | | | | |
| Hefty | H6024SS | STX,B | HC | 110 | | | | | |
| Hefty | H6214SSRIB | STX,B | HC | 112 | | | | | |
| Hefty | H6324SS | STX | HC | 112 | | | | | |
| Hoegemeyer/HPT | 7886AM | AM,B | MQ,P1V,R | 108 | | | | | |
| Hoegemeyer/HPT | 7900AM | AM,B | MQ,P5V,R | 109 | | | | | |
| Hoegemeyer/HPT | 7946AM | AM,B | MQ,P5V,R | 109 | | | | | |
| Hoegemeyer/HPT | HP1655YHR | OI | MQ,P5V,R | 110 | | | | | |
| Lewis | 08DP739 | VT2P,B | AC,P2 | 108 | | | | | |
| Lewis | 10DP747 | VT2P,B | AC,P2 | 110 | | | | | |
| Lewis | 11DP768 | VT2P,B | AC,P2 | 111 | | | | | |
| Lewis | 12DP779 | VT2P,B | AC,P2 | 112 | | | | | |
| LG Seeds | LG5590VT2RIB | VT2P,B | AC,P5V | 110 | | | | | |
| LG Seeds | LG61C48VT2RIB | VT2P,B | AC,P5V | 111 | | | | | |
| NuTech | 5NN-8812 | 3000GT | CM,C2,R,Lu,l | 112 | | | | | |
| Phoenix | 5552EZ | 3122,B | AVC,C5,Vi | 111 | | | | | |
| Phoenix | 6299EZ | 3122,B | AVC,C5,Vi | 112 | | | | | |
| Pioneer | P1197AM GC | AM,B | MQ,P1V,R | 111 | | | | | |
| Renk | RK815SSTX | STX,B | AC,P2 | 110 | | | | | |
| Renk | RK842SSTX | STX | AC,P5V | 112 | | | | | |
| Renk | RK859DGV2P | VT2P,DG,B | AC,P2 | 112 | | | | | |
| Renk | RK877DGV2P | VT2P,DG,B | AC,P2 | 111 | | | | | |
| Rob-See-Co | Innotech IC5831^ CK | 3111 | AVC,C2,Vi | 108 | | | | | |
| Rob-See-Co | RC6001-3220-EZR GC | 3220,B | AVC,C5,Vi | 110 | | | | | |
| Taylor | 8822VT2ProRIB | VT2P,B | AC,P2 | 111 | | | | | |
| Taylor | EXP A 112 | VT2P | AC,P2 | 112 | | | | | |
| | | | | | | | | | |

2018 Corn Grain - Kansas Northeast [KSNE]



Full-Season Test Products (42 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------|---------------------|-----------|------------|-----|---------------|---------------|----------|-----------|----|
| AgriGold | A646-12STXRIB | STX,B | AC,P5V | 116 | | | | | |
| AgriGold | A6544VT2RIB | VT2P,B | AC,P5V | 113 | | | | | |
| AgriGold | A6572VT2RIB | VT2P,B | AC,P5V | 114 | | | | | |
| Armor | 1447Pro2 | VT2P | AC,P2 | 114 | | | | | |
| Armor | 1500Pro2 | VT2P | AC,P5V | 115 | | | | | |
| Armor | 1667Pro2 | VT2P | AC,P5V | 116 | | | | | |
| Augusta | A4465GT3111 | 3111 | AVC,C5 | 114 | | | | | |
| Channel | 215-75VT2PRIB | VT2P,B | AC,P2 | 115 | | | | | |
| Dekalb | DKC64-35RIB GC | VT2P,B | AC,P2 | 114 | | | | | |
| Dekalb | DKC65-81RIB GC | VT2P,DG,B | AC,P2 | 115 | | | | | |
| Dyna-Gro | D54VC14 | VT2P | AC,P5V | 114 | | | | | |
| Golden Harvest | G14V04-3120-EZR | 3120,B | AVC,C5,Vi | 114 | | | | | |
| Golden Harvest | G16K01-3111 | 3111 | AVC,C5,Vi | 116 | | | | | |
| Hefty | H6423 | VT2P,DG | HC | 114 | | | | | |
| Hefty | H6622VT2P | VT2P | HC | 116 | | | | | |
| Hefty | H6624SS | STX | HC | 116 | | | | | |
| Hoegemeyer/HPT | 8326AM | AM,B | CM,C2,R,Lu | 113 | | | | | |
| Hoegemeyer/HPT | 8414AM | AM,B | CM,C2,R,Lu | 114 | | | | | |
| Hoegemeyer/HPT | 8529AM | AM,B | CM,C2,R,Lu | 115 | | | | | |
| Hoegemeyer/HPT | HP1681YHR | OI | MQ,P1V,R | 114 | | | | | |
| Lewis | 14DD849 | VT2P,DG,B | AC,P2 | 114 | | | | | |
| Lewis | 15DP899 | VT2P,B | AC,P2 | 115 | | | | | |
| Lewis | 16DP887 | VT2P,B | AC,P2 | 116 | | | | | |
| Lewis | R1414VT2P | VT2P,B | AC,P2 | 114 | | | | | |
| LG Seeds | LG5643VT2RIB | VT2P,B | AC,P5V | 114 | | | | | |
| LG Seeds | LG66C32STXRIB | STX,B | AC,P5V | 116 | | | | | |
| NK Brand | NK1573-3110 GC | 3110 | AVC,C5,Vi | 115 | | | | | |
| Phoenix | 6342A4 | 3111 | AVC,C5,Vi | 113 | | | | | |
| Phoenix | 6542BZ | 3120,B | AVC,C5,Vi | 116 | | | | | |
| Pioneer | P1366AM GC | AM,B | MQ,P1V,R | 113 | | | | | |
| Renk | RK937SSTX | STX | AC,P5V | 113 | | | | | |
| Renk | RK945DGV2P | VT2P,DG | AC,P2 | 115 | | | | | |
| Renk | RK961VT2P | VT2P,B | AC,P2 | 116 | | | | | |
| Renk | RK965VT2P | VT2P,B | AC,P2 | 116 | | | | | |
| Rob-See-Co | Innotech IC5831^ CK | 3111 | AVC,C2,Vi | 108 | | | | | |
| Rob-See-Co | Innotech IC6698^ GC | 3111 | AVC,C1,Vi | 116 | | | | | |
| Rob-See-Co | RC6401-3120-EZR GC | 3120,B | AVC,C5,Vi | 114 | | | | | |
| Rob-See-Co | RC6435-3010A GC | 3010,A | AVC,C5,Vi | 114 | | | | | |
| Rob-See-Co | RC6580-3111 GC | 3111 | AVC,C5,Vi | 115 | | | | | |
| Taylor | 8835VT2ProRIB | VT2P,B | AC,P2 | 114 | | | | | |
| Taylor | 8866VT2ProRIB | VT2P,B | AC,P2 | 115 | | | | | |
| Taylor | EXP C-115-17 | VT2P,B | AC,P2 | 115 | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|--|
| ^ | Innotech™ brand seed is distributed by Rob-See-Co, LLC. Phoenix® brand seed is distributed by Advanta Seeds. Power Plus® brand seed is distributed by Burrus. Innotech™ and Phoenix® are trademarks of Syngenta. Power Plus® is a registered trademark of Corteva Agriscience. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |

Corn Technologies*

| | | | |
|--------|---|------|--|
| 3000GT | Agrisure® 3000GT (CB,RW,LL,GT) | E | Enlist™ (2,4-D, glyphosate, fop herbicide tolerance) |
| 3010 | Agrisure® 3010 (CB,LL,GT) | GT | Agrisure® GT |
| 3011,A | Agrisure® Artesian® (CB,RW,LL,GT) | HX | Herculex® 1, contains LL |
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) | HXRW | Herculex® Rootworm, contains LL |
| 3111 | Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT) | HXT | Herculex® Xtra (HX,HXRW,LL) |
| 3120 | Agrisure® 3120 (CB,HX,LL,GT) | LL | LibertyLink® |
| 3122 | Agrisure® 3122 (CB,HXX,RW,LL,GT) | None | conventional corn |
| 3220 | Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT) | OI | Optimum® Intrasect®, YHR (YGCB,HX,LL,RR2) |
| A | Agrisure® Artesian® | OIX | Optimum® Intrasect® Xtra, YXR (YGCB,HXT,LL,RR2) |
| AM | Optimum® AcreMax® (YGCB,HX,LL,RR2) | OIXT | Optimum® Intrasect® Xtreme (YGCB,HXT,RW,LL,RR2) |
| AMT | Optimum® AcreMax® TRIsect (HX,RW,LL,RR2) | PC | PowerCore™ (HX, VT2P) |
| AMX | Optimum® AcreMax® Xtra (YGCB,HXT,LL,RR2) | RR2 | Roundup Ready® 2 Corn |
| AMXT | Optimum® AcreMax® Xtreme (YGCB,HXT,RW,LL,RR2) | RW | Agrisure® Rootworm |
| AQ | Optimum® AQUAMax® | STX | SmartStax® (VT3P,HXT,RR2,LL) |
| B | Refuge blend product | VT2P | Genuity® VT Double PRO® |
| CB | Agrisure® Corn Borer | VT3P | Genuity® VT Triple PRO® |
| DG | Genuity® DroughtGard® | YGCB | YieldGard® Corn Borer |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| ? | information not provided | Lu | Lumivia™ |
| A | Allegiance® | M | Maxim XL® |
| AC | Acceleron® fungicide products | MQ | Maxim Quattro® |
| AL2500 | Alert 2500 | None | untreated |
| At | Actellic® | P2, P5, P1 | Poncho® at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| AVC | Avicta® Complete Corn | R | Raxil® |
| C2, C5, C1 | Cruiser® at 0.25, 0.5 and 1.25 mg ai/seed, respectively | Sa | Sativa™ |
| CE | Cruiser Extreme® | Se | Sebring™ |
| CM | CruiserMaxx® Corn | Sn | Senator™ |
| D | Dynasty® | Sp | Spirato™ |
| Es | Escalate® | SC | SHIELDCoat™ |
| HC | Hefty Complete | V | Votivo® |
| In | Intego™ Solo | Vi | Vibrance® |
| L | Lorsban® | | |

** Seed treatments may include unspecified plant health promoting components.