

2018 Corn Grain Top 30 Harvest Report

Missouri Central [MOCE] VANDALIA
 Charlie Cobb, Audrain County, MO 63361



Test by: F.I.R.S.T. MSR, Inc., Columbia, MO

PREV. CROP/HERB: Soybean / Authority MTZ, Parallel, Warrant, Roundup
 SOIL DESCRIPTION: Mexico silt loam, moderately drained, irrigated
 SOIL CONDITION: Minimum w/o fall till, medium P, medium K, 5.4 pH, 2.5% OM, 11.6 CEC
 PEST MANAGEMENT: Degree Xtra, Mesotrione, Silencer, Force 3G
 FERTILITY - Applied N: 142 Spring, 60 Sidedress
 Applied N-P-K (units): 202-78-60
 SEEDED - RATE - ROW: Apr 30 34,700 /A 30" spacing
 HARVESTED - STAND: Sep 23 34,000 /A

Early-Season Test
107 - 112 Day CRM
 B2018MOCE05a

Top 30 of 36

For Gross Income (Sorted by Yield)
 Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|----------------|-----------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Lewis | 12DP779 | VT2P,B | 112 | 260.0 | 15.8 | 13 | 33.7 | 838 | 1 |
| NuTech/G2 Gen | 5FB-9909 | AM,B | 109 | 257.0 | 15.3 | 18 | 34.0 | 833 | 2 |
| Pfister | 71C1PCR | PC,B | 111 | 253.9 | 15.8 | 1 | 33.7 | 818 | 3 |
| Lewis | 08DP739 | VT2P,B | 108 | 251.7 | 15.4 | 5 | 34.0 | 815 | 4 |
| Lewis | 11DP768 | VT2P,B | 111 | 251.0 | 16.7 | 6 | 34.0 | 801 | 9 |
| LG Seeds | LG5606STXRIB | STX,B | 111 | 250.7 | 15.3 | 10 | 34.3 | 812 | 5 |
| LG Seeds | LG62C02STX | STX | 112 | 250.3 | 15.7 | 9 | 34.0 | 807 | 6 |
| AgriGold | A642-59STXRIB | STX,B | 112 | 249.2 | 15.6 | 3 | 33.7 | 805 | 7 |
| FS InVISION | FS 62ZX1 RIB | STX,B | 112 | 248.5 | 16.0 | 6 | 34.3 | 799 | 12 |
| NuTech/G2 Gen | 5FN-8808 | OI | 108 | 248.2 | 15.3 | 30 | 34.0 | 804 | 8 |
| Pioneer | P1197AM GC | AM,B | 111 | 247.6 | 15.8 | 40 | 34.3 | 798 | 13 |
| Golden Harvest | G08M20-3010 | 3010 | 108 | 247.5 | 15.4 | 23 | 34.3 | 801 | 10 |
| Dekalb | DKC60-88RIB GC | VT2P,B | 110 | 246.7 | 15.2 | 5 | 34.0 | 800 | 11 |
| NuTech/G2 Gen | 5FB-1010 | AM,B | 110 | 244.4 | 16.3 | 17 | 34.0 | 783 | 15 |
| Great Heart | HT-7244VT2PRIB | VT2P,B | 112 | 242.0 | 16.2 | 7 | 34.3 | 776 | 17 |
| AgriGold | A641-78STXRIB | STX,B | 111 | 240.8 | 15.4 | 8 | 34.0 | 779 | 16 |
| Lewis | 10DP719 | VT2P,B | 110 | 239.8 | 16.1 | 11 | 34.3 | 770 | 18 |
| NuTech | 5NN-8812 | 3000GT | 112 | 237.7 | 16.4 | 18 | 33.7 | 761 | 22 |
| Pfister | 69E2SSR | STX,B | 109 | 237.4 | 16.0 | 4 | 34.3 | 763 | 19 |
| FS InVISION | FS 60UX1 RIB | STX,B | 110 | 236.4 | 15.6 | 4 | 34.0 | 763 | 20 |
| FS InVISION | FS 62TV1DG RIB | VT2P,DG,B | 112 | 236.4 | 15.8 | 2 | 34.0 | 762 | 21 |
| Golden Harvest | G11A33-3111 | 3111 | 111 | 235.8 | 15.6 | 2 | 33.3 | 761 | 23 |
| NuTech/G2 Gen | 5FB-1211 | AM,B | 111 | 235.6 | 16.5 | 17 | 34.0 | 753 | 24 |
| AgriGold | A638-74VT2PRO | VT2P | 108 | 231.9 | 15.3 | 8 | 34.0 | 751 | 25 |
| LG Seeds | LG59C66VT2PRO | VT2P | 109 | 231.4 | 15.5 | 15 | 33.7 | 748 | 26 |
| Epley | E2001GTCBLL | 3010 | 110 | 225.3 | 15.8 | 20 | 34.0 | 726 | 28 |
| Pfister | 68A1PE | PC,E | 108 | 225.2 | 15.5 | 19 | 34.0 | 728 | 27 |
| FS InVISION | FS 60QV1 RIB | VT2P,B | 110 | 223.5 | 15.3 | 27 | 34.0 | 724 | 29 |
| Pfister | 69D3RR | RR2 | 109 | 220.1 | 15.3 | 2 | 34.0 | 713 | 30 |
| NuTech | 5VN-4707 | 3111 | 107 | 215.7 | 15.7 | 33 | 34.0 | 696 | 31 |
| Pioneer | P1366AM CK | AM,B | 113 | 247.7 | 16.7 | 3 | 34.0 | 790 | 14 |

William C. Schelp

William Schelp

william.schelp@firstseedtests.com, (573) 819-7968

Averages = **234.9** **15.9** **17** **34.0** **757**

LSD (0.10) = 18.4 0.5 14

LSD (0.25) = 9.6 0.2 8

C.V. = 7.4 Prev. years average yield, 256.1 bu/a, 1 yr

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.035 Prices: GMO = \$3.25; non-GMO = \$3.25

Test Comments: Site got off to a great start with quick and even emergence. Irrigation began in June, supplying a season total of 8" water, sulfur, boron, zinc, and copper. By mid-summer, the tests looked outstanding. August 6 brought 70 mph winds that caused root and stalk lodging that reduced yield of some products. Damage to area dryland fields was even worse. Charlie is satisfied with his corn yields.

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2018, all rights reserved by Elite Field Genetics, LLC

Report Date: 9/24/2018 Revised:

2018 Corn Grain Top 30 Harvest Report

Missouri Central [MOCE] VANDALIA
 Charlie Cobb, Audrain County, MO 63361



PREV. CROP/HERB: Soybean / Authority MTZ, Parallel, Warrant, Roundup
 SOIL DESCRIPTION: Mexico silt loam, moderately drained, irrigated
 SOIL CONDITION: Minimum w/o fall till, medium P, medium K, 5.4 pH, 2.5% OM, 11.6 CEC
 PEST MANAGEMENT: Degree Xtra, Mesotrione, Silencer, Force 3G
 FERTILITY - Applied N: 142 Spring, 60 Sidedress
 Applied N-P-K (units): 202-78-60
 SEEDING - RATE - ROW: Apr 30 34,700 /A 30" spacing
 HARVESTED - STAND: Sep 23 34,000 /A

Full-Season Test
113 - 117 Day CRM
 B2018MOCE05b

Top 30 of 36

For Gross Income (Sorted by Yield)
 Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|-----------------|-----------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| LG Seeds | LG5663VT2RIB | VT2P,B | 115 | 269.3 | 16.6 | 2 | 34.3 | 860 | 1 |
| Pfister | 77C1SE | STX,E | 117 | 257.7 | 17.6 | 1 | 33.7 | 814 | 3 |
| Pioneer | P1637AM GC | AM,B | 116 | 256.6 | 17.6 | 16 | 34.0 | 811 | 4 |
| FS InVISION | FS 64SV1 RIB | VT2P,B | 114 | 255.9 | 16.3 | 6 | 34.0 | 820 | 2 |
| Lewis | R1414VT2P | VT2P,B | 114 | 253.6 | 16.5 | 3 | 34.0 | 811 | 5 |
| Lewis | 16DP887 | VT2P,B | 116 | 252.6 | 17.3 | 19 | 34.0 | 801 | 6 |
| FS InVISION | FS 67SV1 RIB | VT2P,B | 117 | 250.3 | 17.5 | 1 | 34.0 | 792 | 8 |
| LG Seeds | LG5650VT2RIB | VT2P,B | 115 | 249.6 | 16.6 | 17 | 34.0 | 797 | 7 |
| Lewis | 14DD849 | VT2P,DG,B | 114 | 249.4 | 17.6 | 11 | 34.0 | 788 | 9 |
| NuTech/G2 Gen | 5FN-2213 | OI | 113 | 245.4 | 16.5 | 23 | 34.0 | 785 | 10 |
| Golden Harvest | G15L32-3110 | 3110 | 115 | 245.3 | 17.2 | 15 | 34.3 | 778 | 13 |
| AgriGold | A6572VT2RIB | VT2P,B | 114 | 245.0 | 16.7 | 8 | 34.3 | 782 | 11 |
| NK Brand | NK1573-3110 | 3110 | 115 | 244.8 | 17.0 | 20 | 34.0 | 778 | 14 |
| FS InVISION | FS 66ZV1 RIB | VT2P,B | 116 | 243.2 | 16.8 | 5 | 34.3 | 775 | 16 |
| Golden Harvest | G13Z50-3110 | 3110 | 113 | 242.9 | 16.6 | 10 | 34.0 | 776 | 15 |
| Dekalb | DKC64-35RIB GC | VT2P,B | 114 | 242.2 | 15.8 | 4 | 34.0 | 780 | 12 |
| NuTech/G2 Gen | 5FB-4516 | AM,B | 116 | 240.9 | 17.6 | 30 | 34.0 | 761 | 21 |
| AgriGold | A6544VT2RIB | VT2P,B | 113 | 240.8 | 16.5 | 28 | 34.0 | 770 | 17 |
| LG Seeds | LG5643VT2RIB | VT2P,B | 114 | 240.6 | 16.6 | 49 | 34.0 | 768 | 19 |
| Lewis | 14DP857 | VT2P,B | 114 | 238.2 | 15.5 | 6 | 34.0 | 770 | 18 |
| Pfister | 75Y1PCR | PC,B | 115 | 235.8 | 17.1 | 26 | 33.7 | 749 | 23 |
| Great Heart | HT-7302VT2PRIB | VT2P,B | 113 | 233.8 | 16.0 | 12 | 33.7 | 752 | 22 |
| Great Heart | HT-7486SSRIB | STX,B | 114 | 233.2 | 16.6 | 4 | 34.0 | 745 | 24 |
| AgriGold | A646-12STXRIB | STX,B | 116 | 229.5 | 16.6 | 16 | 34.0 | 733 | 25 |
| Pfister | 2874PCR | PC,B | 113 | 229.0 | 16.4 | 25 | 34.0 | 733 | 26 |
| NuTech/G2 Gen | 5FB-3113 | AM,B | 113 | 228.7 | 16.3 | 23 | 34.0 | 733 | 27 |
| Pioneer | P1442AM GC | AM,B | 114 | 226.8 | 17.7 | 16 | 34.3 | 716 | 29 |
| NK Brand | NK1433-3120-EZR | 3120,B | 114 | 226.0 | 17.5 | 7 | 34.0 | 715 | 30 |
| Stine | 9808E-20 GC | 3110 | 115 | 222.8 | 17.0 | 8 | 34.3 | 709 | 31 |
| Stine | 9746-20 GC | 3110 | 114 | 222.5 | 15.3 | 1 | 34.0 | 721 | 28 |
| Pioneer | P1366AM CK | AM,B | 113 | 238.7 | 16.2 | 6 | 34.0 | 766 | 20 |

Averages = **237.9** **16.8** **14** **34.0** **758**

LSD (0.10) = 12.3 0.5 12

LSD (0.25) = 6.4 0.3 7

C.V. = 4.9 Prev. years average yield, 256.1 bu/a, 1 yr

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.035 Prices: GMO = \$3.25; non-GMO = \$3.25

Test Comments: Site got off to a great start with quick and even emergence. Irrigation began in June, supplying a season total of 8" water, sulfur, boron, zinc, and copper. By mid-summer, the tests looked outstanding. August 6 brought 70 mph winds that caused root and stalk lodging that reduced yield of some products. Damage to area dryland fields was even worse. Charlie is satisfied with his corn yields.

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2018, all rights reserved by Elite Field Genetics, LLC

Report Date: 9/24/2018 Revised:

2018 Corn Grain - Missouri Central [MOCE]



Early-Season Test Products (36 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------|------------------|-----------|--------------|-----|---------------|---------------|----------|-----------|----|
| AgriGold | A638-74VT2PRO | VT2P | AC,P5V | 108 | | | | | |
| AgriGold | A641-78STXRIB | STX,B | AC,P5V | 111 | | | | | |
| AgriGold | A642-59STXRIB | STX,B | AC,P5V | 112 | | | | | |
| Dekalb | DKC60-88RIB GC | VT2P,B | AC,P2 | 110 | | | | | |
| Epley | E2001GTCBLL | 3010 | MQ | 110 | | | | | |
| Epley | E2201GTCBLL | 3010 | MQ | 112 | | | | | |
| FS InVISION | FS 60QV1 RIB | VT2P,B | AC,P2 | 110 | | | | | |
| FS InVISION | FS 60UX1 RIB | STX,B | AC,P5V | 110 | | | | | |
| FS InVISION | FS 62TV1DG RIB | VT2P,DG,B | AC,P2 | 112 | | | | | |
| FS InVISION | FS 62ZX1 RIB | STX,B | AC,P5V | 112 | | | | | |
| Golden Harvest | G08D29-3120A-EZR | 3120,A,B | AVC,C5,Vi | 108 | | | | | |
| Golden Harvest | G08M20-3010 | 3010 | AVC,C5,Vi | 108 | | | | | |
| Golden Harvest | G09Y24-3220A-EZR | 3220,A,B | AVC,C5,Vi | 109 | | | | | |
| Golden Harvest | G11A33-3111 | 3111 | AVC,C5,Vi | 111 | | | | | |
| Great Heart | HT-7244VT2PRIB | VT2P,B | AC,P5V | 112 | | | | | |
| Lewis | 08DP739 | VT2P,B | AC,P2 | 108 | | | | | |
| Lewis | 10DP719 | VT2P,B | AC,P2 | 110 | | | | | |
| Lewis | 11DP768 | VT2P,B | AC,P2 | 111 | | | | | |
| Lewis | 12DP779 | VT2P,B | AC,P2 | 112 | | | | | |
| LG Seeds | LG5606STXRIB | STX,B | AC,P5V | 111 | | | | | |
| LG Seeds | LG59C66VT2PRO | VT2P | AC,P5V | 109 | | | | | |
| LG Seeds | LG62C02STX | STX | AC,P5V | 112 | | | | | |
| NK Brand | NK0962-3220A-EZR | 3220,A,B | AVC,C5,Vi | 109 | | | | | |
| NK Brand | NK1066-3120-EZR | 3120,B | AVC,C5,Vi | 110 | | | | | |
| NuTech | 5NN-8812 | 3000GT | CM,C2,R,Lu,I | 112 | | | | | |
| NuTech | 5VN-4707 | 3111 | MQ,P5V,R | 107 | | | | | |
| NuTech/G2 Gen | 5FB-1010 | AM,B | MQ,P5V,R | 110 | | | | | |
| NuTech/G2 Gen | 5FB-1211 | AM,B | CM,C2,R,Lu | 111 | | | | | |
| NuTech/G2 Gen | 5FB-9909 | AM,B | CM,C2,R,Lu | 109 | | | | | |
| NuTech/G2 Gen | 5FN-8808 | OI | MQ,P1V,R | 108 | | | | | |
| Pfister | 68A1PE | PC,E | CM,C5,Vi,In | 108 | | | | | |
| Pfister | 69D3RR | RR2 | CM,C5,Vi,In | 109 | | | | | |
| Pfister | 69E2SSR | STX,B | CM,C5,Vi,In | 109 | | | | | |
| Pfister | 71C1PCR | PC,B | CM,C5,Vi,In | 111 | | | | | |
| Pioneer | P1197AM GC | AM,B | MQ,P1V,R | 111 | | | | | |
| Pioneer | P1366AM CK | AM,B | MQ,P1V,R | 113 | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

2018 Corn Grain - Missouri Central [MOCE]



Full-Season Test Products (36 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------|-----------------|-----------|-------------|-----|---------------|---------------|----------|-----------|----|
| AgriGold | A646-12STXRIB | STX,B | AC,P5V | 116 | | | | | |
| AgriGold | A6544VT2RIB | VT2P,B | AC,P5V | 113 | | | | | |
| AgriGold | A6572VT2RIB | VT2P,B | AC,P5V | 114 | | | | | |
| Dekalb | DKC64-35RIB GC | VT2P,B | AC,P2 | 114 | | | | | |
| FS InVISION | FS 63ZV1 RIB | VT2P,B | AC,P2 | 113 | | | | | |
| FS InVISION | FS 64SV1 RIB | VT2P,B | AC,P2 | 114 | | | | | |
| FS InVISION | FS 66ZV1 RIB | VT2P,B | AC,P2 | 116 | | | | | |
| FS InVISION | FS 67SV1 RIB | VT2P,B | AC,P2 | 117 | | | | | |
| Golden Harvest | G13Z50-3110 | 3110 | AVC,C5,Vi | 113 | | | | | |
| Golden Harvest | G15L32-3110 | 3110 | AVC,C5,Vi | 115 | | | | | |
| Great Heart | HT-7302VT2PRIB | VT2P,B | AC,P5V | 113 | | | | | |
| Great Heart | HT-7342VT2PRIB | VT2P,B | AC,P5V | 113 | | | | | |
| Great Heart | HT-7486SSRIB | STX,B | AC,P5V | 114 | | | | | |
| Lewis | 14DD849 | VT2P,DG,B | AC,P2 | 114 | | | | | |
| Lewis | 14DP857 | VT2P,B | AC,P2 | 114 | | | | | |
| Lewis | 16DP887 | VT2P,B | AC,P2 | 116 | | | | | |
| Lewis | R1414VT2P | VT2P,B | AC,P2 | 114 | | | | | |
| LG Seeds | LG5643VT2RIB | VT2P,B | AC,P5V | 114 | | | | | |
| LG Seeds | LG5650VT2RIB | VT2P,B | AC,P5V | 115 | | | | | |
| LG Seeds | LG5663VT2RIB | VT2P,B | AC,P5V | 115 | | | | | |
| NK Brand | NK1433-3120-EZR | 3120,B | AVC,C5,Vi | 114 | | | | | |
| NK Brand | NK1573-3110 | 3110 | AVC,C5,Vi | 115 | | | | | |
| NuTech/G2 Gen | 5FB-3113 | AM,B | CM,C2,R,Lu | 113 | | | | | |
| NuTech/G2 Gen | 5FB-4516 | AM,B | CM,C2,R,Lu | 116 | | | | | |
| NuTech/G2 Gen | 5FN-2213 | OI | MQ,P5V,R | 113 | | | | | |
| NuTech/G2 Gen | 5LB-7215 | AMXT,B | CM,C2,R,Lu | 115 | | | | | |
| Pfister | 2874PCR | PC,B | CM,C5,Vi,In | 113 | | | | | |
| Pfister | 74D2PE | PC,E | CM,C5,Vi,In | 114 | | | | | |
| Pfister | 75Y1PCR | PC,B | CM,C5,Vi,In | 115 | | | | | |
| Pfister | 77C1SE | STX,E | CM,C1 | 117 | | | | | |
| Pioneer | P1366AM CK | AM,B | MQ,P1V,R | 113 | | | | | |
| Pioneer | P1442AM GC | AM,B | MQ,P1V,R | 114 | | | | | |
| Pioneer | P1637AM GC | AM,B | MQ,P1V,R | 116 | | | | | |
| Stine | 9746-20 GC | 3110 | Se,Sa,Sn,Sp | 114 | | | | | |
| Stine | 9808E-20 GC | 3110 | Se,Sa,Sn,Sp | 115 | | | | | |
| Stine | 9814-10 GC | 3010 | Se,Sa,Sn,Sp | 118 | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|--|
| ^ | Innotech™ brand seed is distributed by Rob-See-Co, LLC. Phoenix® brand seed is distributed by Advanta Seeds. Power Plus® brand seed is distributed by Burrus. Innotech™ and Phoenix® are trademarks of Syngenta. Power Plus® is a registered trademark of Corteva Agriscience. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |

Corn Technologies*

| | | | |
|--------|---|------|--|
| 3000GT | Agrisure® 3000GT (CB,RW,LL,GT) | E | Enlist™ (2,4-D, glyphosate, fop herbicide tolerance) |
| 3010 | Agrisure® 3010 (CB,LL,GT) | GT | Agrisure® GT |
| 3011,A | Agrisure® Artesian® (CB,RW,LL,GT) | HX | Herculex® 1, contains LL |
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) | HXRW | Herculex® Rootworm, contains LL |
| 3111 | Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT) | HXT | Herculex® Xtra (HX,HXRW,LL) |
| 3120 | Agrisure® 3120 (CB,HX,LL,GT) | LL | LibertyLink® |
| 3122 | Agrisure® 3122 (CB,HXX,RW,LL,GT) | None | conventional corn |
| 3220 | Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT) | OI | Optimum® Intrasect®, YHR (YGCB,HX,LL,RR2) |
| A | Agrisure® Artesian® | OIX | Optimum® Intrasect® Xtra, YXR (YGCB,HXT,LL,RR2) |
| AM | Optimum® AcreMax® (YGCB,HX,LL,RR2) | OIXT | Optimum® Intrasect® Xtreme (YGCB,HXT,RW,LL,RR2) |
| AMT | Optimum® AcreMax® TRIsect (HX,RW,LL,RR2) | PC | PowerCore™ (HX, VT2P) |
| AMX | Optimum® AcreMax® Xtra (YGCB,HXT,LL,RR2) | RR2 | Roundup Ready® 2 Corn |
| AMXT | Optimum® AcreMax® Xtreme (YGCB,HXT,RW,LL,RR2) | RW | Agrisure® Rootworm |
| AQ | Optimum® AQUAMax® | STX | SmartStax® (VT3P,HXT,RR2,LL) |
| B | Refuge blend product | VT2P | Genuity® VT Double PRO® |
| CB | Agrisure® Corn Borer | VT3P | Genuity® VT Triple PRO® |
| DG | Genuity® DroughtGard® | YGCB | YieldGard® Corn Borer |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| ? | information not provided | Lu | Lumivia™ |
| A | Allegiance® | M | Maxim XL® |
| AC | Acceleron® fungicide products | MQ | Maxim Quattro® |
| AL2500 | Alert 2500 | None | untreated |
| At | Actellic® | P2, P5, P1 | Poncho® at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| AVC | Avicta® Complete Corn | R | Raxil® |
| C2, C5, C1 | Cruiser® at 0.25, 0.5 and 1.25 mg ai/seed, respectively | Sa | Sativa™ |
| CE | Cruiser Extreme® | Se | Sebring™ |
| CM | CruiserMaxx® Corn | Sn | Senator™ |
| D | Dynasty® | Sp | Spirato™ |
| Es | Escalate® | SC | SHIELDCoat™ |
| HC | Hefty Complete | V | Votivo® |
| In | Intego™ Solo | Vi | Vibrance® |
| L | Lorsban® | | |

** Seed treatments may include unspecified plant health promoting components.